Contributions to Mineralogy and Petrology

Volume 90 1985

Executive Editors: **I.S.E. Carmichael J. Hoefs**

Editorial Board:
R. Binns North Ryde, Australia
H.P. Eugster Baltimore, Maryland
T. Grove Cambridge, Massachusetts
I. Parsons Aberdeen, Scotland
Z.E. Peterman Lakewood, Colorado
W. Schreyer Bochum-Querenburg, F.R.G.
J. Touret Amsterdam, The Netherlands
V. Trommsdorff Zürich, Switzerland
K.H. Wedepohl Göttingen, F.R.G.

Springer International

Contributions to Mineralogy and Petrology

Founded in 1947 by O.H. Erdmannsdörffer. Volume 1 (1949) edited by O.H. Erdmannsdörffer as "Heidelberger Beiträge zur Mineralogie und Petrographie". Continued from Volume 6 (1957) as "Beiträge zur Mineralogie und Petrographie", edited by C.W. Correns. From Volume 12 (1966) to Volume 40 (1973) published as "Contributions to Mineralogy and Petrology/Beiträge zur Mineralogie und Petrologie", edited by C.W. Correns. Beginning with Volume 41 (1973) "Contributions to Mineralogy and Petrology". As of Volume 43 (1974) edited by C.W. Correns and I.S.E. Carmichael. As of Volume 74 (1980) edited by I.S.E. Carmichael and J. Hoefs.

Submission of a manuscript implies: that the work described has not been published before (except in the form of an abstract or as part of a published lecture, review, or thesis); that it is not under consideration for publication elsewhere; that its publication has been approved by all coauthors, if any, as well as by the responsible authorities at the institute where the work has been carried out; that, if and when the manuscript is accepted for publication, the authors agree to automatic transfer of the copyright to the publisher and that the manuscript will not be published elsewhere in any language without the consent of the copyright holders.

All articles published in this journal are protected by copyright, which covers the exclusive rights to reproduce and distribute the article (e.g., as offprints), as well as all translation rights. No material published in this journal may be reproduced photographically or stored on microfilm, in electronic data bases, video disks, etc., without first obtaining written permission from the publisher.

The use of general descriptive names, trade names, trademarks, etc., in this publication, even if not specifically identified, does not imply that these names are not protected by the relevant laws and regulations.

While the advice and information in this journal is believed to be true and accurate at the date of its going to press, neither the authors, the editors, nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Special regulations for photocopies in the USA: Photocopies may be made for personal or in-house use beyond the limitations stipulated under Section 107 or 108 of U.S. Copyright Law, provided a fee is paid. This fee is US $0.20 per page, or a minimum of US $1.00 if an article contains fewer than five pages. All fees should be paid to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA, stating the ISSN 0010-7999, the volume, and the first and last page numbers of each article copied. The copyright owner's consent does not include copying for general distribution, promotion, new works, or resale. In these cases, specific written permission must first be obtained from the publisher.

Other regulations. Authors publishing in this journal can, under certain conditions, benefit from library and photocopy fees collected by VG WORT. Authors resident in the Federal Republic of Germany or in West Berlin can apply to Verwertungsgesellschaft WORT, Abteilung Wissenschaft, Goethestraße 49, D-8000 München 2, for detailed information.

Printers: Universitätsdruckerei H. Stürtz AG Würzburg

© Springer-Verlag GmbH & Co. KG Berlin Heidelberg 1985
Printed in Germany

Contents

Subject-Index V
List of Locations VIII
Abraham, K., s. Gordillo, C.E., et al. 93–101
Altherr, R., s. Mezger, K., et al. 353–366
Arndt, J., s. Hummel, W. 83–92
Arnórsson, S., Ívarsson, G.: Molybdenum in Icelandic geothermal waters 179–189
Banerjee, H., s. Dasgupta, S., et al. 258–261
Barbey, P., s. Weber, C., et al. 52–62
Benna, P., Zanini, G., Bruno, E.: Cell parameters of thermally treated anorthite. Al, Si configurations in the average structures of the high temperature calcic plagioclases 381–385
Berg, J.H., Wiebe, R.A.: Petrology of a xenolith of ferro-aluminous gneiss from the Nain complex 226–235
Bohlen, S.R., s. Powers, R.E. 401–409
Braun, E., Raith, M.: Fe–Ti-oxides in metamorphic basites from the Eastern Alps, Austria: a contribution to the formation of solid solutions of natural Fe–Ti-oxide assemblages 199–213
Brearley, M., s. Dingwell, D.B. 29–35
Bruno, E., s. Benna, P., et al. 381–385
Carmichael, I.S.E., s. Mysen, B.O., et al. 101–106
Carmichael, I.S.E., s. Ghiorso, M.S. 121–141
Carmichael, I.S.E., s. Luhr, J.F. 142–161
Carpena, J.: Tectonic interpretation of an inverse gradient of zircon fission-track ages with respect to altitude: alpine thermal history of the Gran Paradiso basement 74–82
Caruso, L., Simmons, G.: Uranium and microcracks in a 1,000-meter core, Redstone, New Hampshire 1–17
Choi, W.C., s. Cliff, R.A., et al. 346–352
Cliff, R.A., Jones, G., Choi, W.C., Lee, T.J.: Strontium isotopic equilibration during metamorphism of tillites from the Ogcheon Belt, South Korea 346–352
Criss, R.E., s. Fleck, R.J. 291–308
Cuney, M., s. Weber, C., et al. 52–62
Dasgupta, S., Banerjee, H., Fukuoka, M.: Oxidation gradients in metamorphosed non-carbonatic manganese formations 258–261
Davis, M.W., s. Warner, R.D., et al. 386–400
Demaiffe, D., s. Duchesne, J.C., et al. 214–225
Dick, H.J.B., s. le Roex, A.P., et al. 367–380
Dingwell, D.B., Brearley, M.: Mineral chemistry of igneous melanite garnets from analcite-bearing volcanic rocks, Alberta, Canada 29–35
Duchesne, J.C., Roelandts, I., Demaiffe, D., Weis, D.: Petrogenesis of monzonoritic dykes in the Egersund-Ogna anorthosite (Rogaland, S.W. Norway): trace elements and isotopic (Sr, Pb) constraints 214–225
Elphick, S.C., Ganguly, J., Loomis, T.P.: Experimental determination of cation diffusivities in aluminosilicate garnets. I. Experimental methods and interdiffusion data 36–44
Elphick, S.C., s. Loomis, T.P., et al. 45–51
Erlank, A.J., s. le Roex, A.P., et al. 367–380
Fleck, R.J., Criss, R.E.: Strontium and oxygen isotopic variations in Mesozoic and Tertiary plutons of central Idaho 291–308
Foland, K.A., Henderson, C.M.B., Gleason, J.: Petrogenesis of the magmatic complex at Mount Ascutney, Vermont, USA: I. Assimilation of crust by mafic magmas based on Sr and O isotopic and major element relationships 331–345
Frey, F.A., s. le Roex, A.P., et al. 367–380
Fujii, T., Scarfe, C.M.: Composition of liquids coexisting with spinel lherzolite at 10 kbar and the genesis of MORBs 18–28
Fukuoka, M., s. Dasgupta, S., et al. 258–261
Ganguly, J., s. Elphick, S.C., et al. 36–44
Ganguly, J., s. Loomis, T.P., et al. 45–51
Ghiorso, M.S.: Chemical mass transfer in magmatic processes. I. Thermodynamic relations and numerical algorithms 107–120
Ghiorso, M.S., Carmichael, I.S.E.: Chemical mass transfer in magmatic processes. II. Applications in equilibrium crystallization, fractionation and assimilation 121–141
Girardeau, J., Mercier, J.C.C., Xibin, W.: Petrology of the mafic rocks of the Xigaze ophiolite, Tibet. Implications for the genesis of the oceanic lithosphere 309–321
Gleason, J., s. Foland, K.A., et al. 331–345
Gordillo, C.E., Schreyer, W., Werding, G., Abraham, K.: Lithium in NaBe-cordierites from El Peñón. Sierra de Córdoba, Argentina 93–101
Hart, S.R., s. le Roex, A.P., et al. 367–380
Hawkesworth, C.J., s. Rogers, N.W., et al. 244–257
Henderson, C.M.B., s. Foland, K.A., et al. 331–345
Henjes-Kun, F., s. Mezger, K., et al. 353–366
Hoernes, S., Hoffer, E.: Stable isotope evidence for fluid-present and fluid-absent metamorphism in metapelites from the Damara Orogen, Namibia 322–330
Hoffer, E., s. Hoernes, S. 322–330
Hughes, S.S., s. Warner, R.D., et al. 386–400
Hummel, W., Arndt, J.: Variation of viscosity with temperature and composition in the plagioclase system 83–92
Ívarsson, G., s. Arnórsson, S. 179–189
Jones, G., s. Cliff, R.A., et al. 346–352
Karabinos, P.: Garnet and staurolite producing reactions in a chlorite-chloritoid schist 262–275
Kay, R.W., s. Kay, S.M. 276–290
Kay, S.M., Kay, R.W.: Aleutian tholeiitic and calc-alkaline magma series. I: the mafic phenocrysts 276–290
Kober, B., Lippolt, H.J.: Pre-Hercynian mantle lead transfer to basement rocks as indicated by lead isotopes of the Schwarzwald crystalline, SW-Germany. I: The lead isotope distribution and its correlation 162–171
Kober, B., Lippolt, H.J.: Pre-Hercynian mantle lead transfer to basement rocks as indicated by lead isotopes of the Schwarzwald crystalline, SW-Germany. II: Lead isotope evolution of the European Hercynides 172–178
Kreuzer, H., s. Mezger, K., et al. 353–366
le Roex, A.P., Dick, H.J.B., Reid, A.M., Frey, F.A., Erlank, A.J., Hart, S.R.: Petrology and geochemistry of basalts from the American-Antarctic Ridge, southern Ocean: implications for the westward influence of the Bouvet mantle plume 367–380
Lee, T.J., s. Cliff, R.A., et al. 346–352
Lippolt, H.J., s. Kober, B. 162–171
Lippolt, H.J., s. Kober, B. 172–178
Lloyd, F.E.: Experimental melting and crystallisation of glassy olivine melilitites 236–243
Loomis, T.P., Ganguly, J., Elphick, S.C.: Experimental determination of cation diffusivities in aluminosilicate garnets. II. Multicomponent simulation and tracer diffusion coefficient 45–51
Loomis, T.P., s. Elphick, S.C., et al. 36–44
Luhr, J.F., Carmichael, I.S.E.: Jorullo Volcano, Michoacán, Mexico (1759–1774): The earliest stages of fractionation in calc-alkaline magmas 142–161
Manoogian, P.R., s. Warner, R.D., et al. 386–400
Marsh, J.S., s. Rogers, N.W., et al. 244–257
Martin, H., s. Weber, C., et al. 52–62
Mercier, J.C.C., s. Girardeau, J., et al. 309–321
Mezger, K., Altherr, R., Okrusch, M., Henjes-Kun, F., Kreuzer, H.: Genesis of acid/basic rock associations: a case study The Kallithea intrusive complex, Samos, Greece 353–366

Mysen, B.O., Carmichael, I.S.E., Virgo, D.: A comparison of iron redox ratios in silicate glasses determined by wet-chemical and ^{57}Fe Mössbauer resonant absorption methods 101–106
Okrusch, M., s. Mezger, K., et al. 353–366
Parker, R.J., s. Rogers, N.W., et al. 244–257
Passaglia, E., Vezzalini, G.: Crystal chemistry of diagenetic zeolites in volcanoclastic deposits of Italy 190–198
Powers, R.E., Bohlen, S.R.: The role of synmetamorphic igneous rocks in the metamorphism and partial melting of metasediments, Northwest Adirondacks 401–409
Raith, M., s. Braun, E. 199–213
Reid, A.M., s. le Roex, A.P., et al. 367–380
Roelandts, I., s. Duchesne, J.C., et al. 214–225
Rogers, N.W., Hawkesworth, C.J., Parker, R.J., Marsh, J.S.: The geochemistry of potassic lavas from Vulsini, central Italy and implications for mantle enrichment processes beneath the Roman region 244–257
Scarfe, C.M., s. Fujii, T. 18–28
Schmitt, R.A., s. Warner, R.D., et al. 386–400
Schreyer, W., s. Gordillo, C.E., et al. 93–101
Seifert, F.A., s. Spiering, B. 63–73
Simmons, G., s. Caruso, L. 1–17
Snipes, D.S., s. Warner, R.D., et al. 386–400
Spiering, B., Seifert, F.A.: Iron in silicate glasses of granitic composition: a Mössbauer spectroscopic study 63–73
Steiner, J.C., s. Warner, R.D., et al. 386–400
Vezzalini, G., s. Passaglia, E. 190–198
Virgo, D., s. Mysen, B.O., et al. 101–106
Warner, R.D., Snipes, D.S., Hughes, S.S., Steiner, J.C., Davis, M.W., Manoogian, P.R., Schmitt, R.A.: Olivine-normative dolerite dikes from western South Carolina: mineralogy, chemical composition and petrogenesis 386–400
Weber, C., Barbey, P., Cuney, M., Martin, H.: Trace element behavior during migmatization. Evidence for a complex melt-residuum-fluid interaction in the St. Malo migmatitic dome (France) 52–62
Weis, D., s. Duchesne, J.C., et al. 214–225
Werding, G., s. Gordillo, C.E., et al. 93–101
Wiebe, R.A., s. Berg, J.H. 226–235
Xibin, W., s. Girardeau, J., et al. 309–321
Zanini, G., s. Benna, P., et al. 381–385.
Errata 410

Indexed in Current Contents/
Abstracted in Mineralogical Abstracts

Subject Index

Acid/basic rock associations, Kallithea 353ff.
aegirine-angite 30
åkermanite 241f.
alaskite 402
albite, cordierite nodules 96
Alëutian magma series 276ff.
allanite 11, 355
Al-Si ordering, anorthite 381f.
amphibole, Alëutian magmas 282
–, compos. in Xigaze ophiolites 312
–, Kallithea Complex 358
analcite 30
analcite phonolites 30f.
anatexis, St. Malo migmatites 60
andesite, Alëutian Arc 279f.
–, equilibrium crystallization 122f.
andradite 29f.
annealing, anorthosites 381f.
anorthite, thermal treatment 381f.
–, unit cell dimensions 382f.
anorthosite, dyke genesis 214ff.
–, Labrador 227f.
antigorite, stability 319
antiperthite 245
apatite 150, 215, 355
–, cordierite nodules 94
–, fission track dating 77f.
assimilation, Ascutney Complex 331ff.
–, Jorullo lavas 153
–, quartz diorite genesis 137f.
angite 150
–, dolerites 389

Basalts, Alëutian magmas 278f.
–, American-Antarctic Ridge, geochemistry 367ff.
–, Jorullo, fractionation 142ff.
batholiths, Idaho 291ff.
beryl, cordierite nodules 95
biotite 3, 228, 245, 349, 355, 402
–, cordierite nodules 95
–, Kallithea Complex 358
–, migmatites 55
bixbyite 258f.
blairmorite 30
braunite 258f.

Calc-alkaline magmas, Alëutian Arc 276ff.
–, fractionation 142ff.
calcite 8, 348
cation diffusivities, garnets 36ff., 45ff.
chabazite, volcano-clastic rocks 191
chalcopyrite 9
–, metabasites 201f.
chemical analysis
–, albite, cordierite nodules 96
–, amphibole, Alëutian Arc 282
–, –, gneiss xenolith 227
–, –, Kallithea Complex 356
–, andalusite, cordierite nodules 96
–, andesite, Alëutian Arc 279
–, apatite, Jorullo lavas 151
–, basalt, Alëutian Arc 278
–, American-Antarctic Ridge 370f.
–, –, Jorullo 145
–, basaltic andesite 122
–, beryl, cordierite nodules 96
–, biotite, cordierite nodules 96
–, –, gneiss xenolith 227
–, –, Kallithea Complex 359
–, bixbyite 259
–, braunite 259
–, chabazites, sedimentary 193
–, chlorite, cordierite nodules 96
–, chromite, dolerites 392
–, clinopyroxenes, Alëutian Arc 280
–, –, Kallithea 360
–, cordierite, El Peñon 96
–, –, gneiss xenolith 227
–, dacite, Alëutian Arc 279
–, dolerites, S. Carolina 394
–, Fe-Ti oxides, metabasites 208
–, garnets, Crowsnest Formation 31
–, –, gneiss xenolith 227
–, –, Jamaica schists 273
–, glass, natural 64
–, gneiss, St. Malo 56
–, granite, La Huacana 145
–, granodiorite, Kallithea 362
–, hornblende, Jorullo lavas 151
–, jacobsite 259
–, lavas, Jorullo 158
–, –, potassic 246
–, liparite glass 64
–, mafic rocks, Ascutney 333
–, magnetites, metabasites 206
–, microdiorites, Kallithea 362
–, migmatites, St. Malo 56
–, monzogranite, Kallithea 363
–, monzonite, Kallithea 363
–, monzonoritic dykes, Rogaland 216
–, muscovite, cordierite nodules 96
–, obsidian 64
–, olivine, Alëutian Arc 279
–, –, dolerites 390
–, –, gneiss xenolith 227
–, olivine melilitites, Uganda 237
–, olivine tholeiite 125
–, ophiolites, Xigaze 315
–, orthopyroxene, Alëutian Arc 282
–, –, gneiss xenolith 227
–, phillipsites, sedimentary 194
–, pitchstone, Saxony 65
–, plagioclase, dolerites 390
–, Jorullo lavas 150
–, xenolith in gneiss 227
–, pleonaste, dolerites 392
–, pumice glass 64
–, pyroxenes, dolerites 390
–, –, Jorullo lavas 150
–, quartz monzonite, Kallithea 363
–, rutile, metabasites 209
–, silicate glasses 102
–, spinel, gneiss xenolith 227
–, –, Jorullo lavas 149
–, titanomagnetite, dolerites 392
–, volcanic rocks, Alëutian Arc 278f.
cherts, ophiolite cover 310
chlorite 96
–, metapelites 324
chlorite-chloritoid schist 262ff.
chloritoid 267f.
chromite, dolerites 392
chrysotile, stability 319
Cl, Icelandic geothermal waters 182
clinopyroxene 146, 215, 245, 358f., 368f., 402
–, Alëutian magmas 280f.
–, compos. in Xigaze ophiolites 312
–, compos, variation during olivine tholeiite crystallization 131
CO_2 influx, granulite genesis 401f.
composite dykes 354
computing, chemical mass transfer 107ff.
cordierite 228
–, gneiss xenoliths 226ff.
–, Li-bearing 93f.
Cr-diopside, ophiolitic harzburgites 310f.
crustal assimilation 331ff.
crustal contamination, potassic lavas 250
crystal fractionation, Jorullo lavas 153f.
crystallization, olivine melilitites 236ff.
–, olivine tholeiite, heat effects 132f.

Dacite, Alëutian Arc 279f.
dehydration, metapelites 322f.
diagenesis, zeolites 190f.
diatexite, St. Malo migmatites 55f.
diffusion, cations in garnets 36f.
diffusion models, garnets 46f.
diffusion profiles, garnets 39f.
diopside 241, 402
diorite, Kallithea Complex 353ff.
dolerite 309f.
–, trace elements 394
dolerite dikes, types and genesis 386ff.
dolerite textures 389
dolomite 349
dunite 309
dykes, monozonoritic 214ff.

Eclogite, Fe-Ti oxides 201f.
epidote 348
equilibria, magmatic systems, computing 109f.
equilibrium crystallization, basaltic andesite 122f.
equilibrium partial melting, St. Malo gneiss 59

Fe redox ratios, glasses 101ff.
ferroaugite 390
Fe-Ti oxides, solid solutions 199ff.
fission track dating, gneiss zircons 74ff.
fission tracks, U distribution in granitic rocks 3ff.
fluid-absent metamorphism 322ff.
fluid overpressure, metapelites 322
fluid transport, metapelites 322f.
flysch 310
fractional crystallization, Ascutney Complex 340
–, monzonorites 219
–, olivine boninite 137f.
–, olivine tholeiite 125f.
–, ridge basalts 374f.
fractionation, calc-alkaline magmas 142ff.
–, olivine tholeiite, closed system 130f.

Gabbro, ophiolites 310f.
gabbro-diorite 332
galena 8
garnet 228, 402
–, analcite phonolite 29ff.
–, cation diffusivities 36ff.
–, chloritoid schists 262f.
garnet amphibolite, Fe-Ti oxide 201f.
geochronology, Idaho batholiths 294f.
geothermal waters, Mo content 179f.
glass, anorthite composition, crystallization behaviour 382f.
–, Mössbauer spectra 63ff.
glaucophane schists, Fe-Ti oxides 206f.
gneiss 332
–, Adirondack granulites 402
–, fission track dating 74f.
–, Nain complex 226f.
–, O isotopic data, Damara series 326
–, Schwarzwald, Pb isotopic dating 167f.
–, St. Malo migmatitic dome 53f.
gondites, Mn-minerals 258f.
granite 332, 356
–, Schwarzwald, Pb isotopic dating 164ff.
–, U geochemistry 1ff.
granodiorite 353f., 349
granulite 401ff.
graphite 348
graywacke, migmatization 53f.

Harzburgite 309f.
heat production, fractional crystallization of olivine tholeiite 132
hemo-ilmenite, metabasites 201f.
Hercynian orogenic belt, Europe 163
Hercynides, Europe, Pb isotope evolution 172ff.
heulandite, volcanoclastic rocks 191
H isotopic variations, Idaho batholiths 296f.
H_2O activity, granulite formation 401f.
hollandite 258f.
hot spring waters, Iceland, Mo concentrations 182
hornblende 3, 146, 355, 402
hydrothermal U transport 13f.

Idaho batholiths, isotopic variations 295ff.
ilmenite 402
–, monzonorite 215ff.
ilmeno-hematite, metabasites 201f.
incompatible elements, ridge basalts 372f.
interdiffusion, garnets 36ff.
isotopic variations, Idaho batholiths 295ff.
isotropic gabbros, ophiolites 314f.
I-type diorites, Kallithea 353f.
ivariite 30

Jacobsite 258f.
jotunite 214f.

K-feldspar 355
–, Schwarzwald granites, Pb isotopic study 164ff.

La, apatites from monzonorites 219
lava flows, ophiolites 311f.
lavas, Jorullo 146ff.
–, potassic, geochemistry 244ff.
layered gabbros, Xigaze ophiolites 314f.
lead transfer, mantle 169f.
leucite 245
leucite basanites 245f.
leucite trachytes 245f.
leucitites 245f.
leucodiorite 350
leuconorite 226
leucosome, St. Malo migmatite 55f.
lherzolite, partial melting 18ff.
Li, cordierites 93ff.
Li-Be cordierite, crystal chemistry 98f.
liparite 64
liquids, partial melting of spinel lherzolite 22f.
liquidus temperatures, Jorullo lavas 151f.
liquid variation diagram, assimilation of olivine into quartz diorite 140
–, fractional crystallization of olivine tholeiite 128f.
lizardite, stability 319
Loewenstein rule, anorthite structure 381

Magma mixing, Alëutian Arc 283f.
–, Idaho batholith 298f.
magmas, mid-ocean ridges 18ff.
magnetite 355
–, metabasites 200f.
mantle, enrichment processes 244ff.
mantle plume, Bouvet 367ff.
marble, Adirondacks 402f.
–, Kallithea 354f.
mass transfer, chemical, thermodynamics 107ff., 121ff.
melanite, chemistry 29ff.
melanosome, St. Malo migmatites 57f.
melilite-bearing lavas, melting 241f.
melting, olivine melilitites 236ff.
melting experiments, spinel lherzolites 18ff.
mesosome, St. Malo migmatite 55f.
metabasites, Fe-Ti oxides 199f.
metamorphism, Rb/Sr dating 349
–, tillites 346f.
–, Xigaze ophiolites 318f.
metapelites, Damara, isotope geochemistry 322f.
metatexite, St. Malo migmatite 55f.
mica 348
microcline perthite 402
microcracks, U mobilization 1ff.
microdiorite, Kallithea 355f.
microperthite 3
mid-ocean ridge basalts, genesis 18ff.
–, geochemistry 367ff.
migmatites, St. Malo 54ff.
migmatitic dome, St. Malo 52f.
migmatitization, trace element behaviour 52ff.
Mn, oxidation gradients, metamorphism 258f.
Mo, geothermal waters, Iceland 179f.
molybdenite 179
Mo mobility, thermal waters 185
monzogranite 353f.
monzonite 215f., 353f.
–, dyke genesis 214ff.
Mössbauer spectra, Fe in glasses 66f., 103f.
multicomponent diffusion, garnets 45ff.
muscovite, cordierite nodules 94

Na-Be cordierite, Li-bearing 93ff.
Nb, ridge basalts 373
network formers, cations in melts 63f.
network modifyers, cations in melts 63f.

Obsidian 63f.
oceanic lithosphere, genesis 309ff.
O fugacity, tholeiite crystallization 126f.
O isotopic composition, Damara metapelites 323ff.
O isotopic variation, Idaho batholiths 296f.
olivine 228, 241f.
–, Alëutian magmas 279f.
–, basaltic andesite 123
–, compos. in Xigaze ophiolites 312
–, compos, variation during olivine tholeiite crystallization 131
–, dolerites 390
–, gneiss xenolith 226f.
–, Jorullo lavas 146ff.
olivine boninite, low-pressure crystallization 135
olivine melilitites, melting 236ff.
olivine-normative dolerite dikes 386ff.
olivine phenocrysts, ridge basalts 368f.
olivine-spinel equilibria, Jorullo lavas 152
olivine tholeiite, fractional crystallization 125f.
open system calculations, mass transfer 115f.
ophiolite, Xigaze 309ff.
orthopyroxene 146
–, Alëutian magmas 281f.
–, compos, variation during olivine tholeiite crystallization 131
ovoids, gneiss xenolith 227

Partial melting, mantle lherzolite 18ff.
–, monzonorite 220f.
–, ridge basalts 376
–, St. Malo gneiss 57f.
Pb, K-feldspars from Schwarzwald granites 167
Pb isotopic evolution, European Hercynides 173ff.
–, monzonorites 223
peridotite 20f.
–, ophiolites 310f.
phase equilibria, chlorite-chloritoid schist 267f.
phenocrysts, Alëutian magma series 276ff.
–, potassic lavas 245
–, ridge basalts 369ff.
phillipsite, volcano-clastic rocks 191f.
phonolite 30
pigeonite 215, 281f.
pillow basalts, American-Antarctic ridge 369f.
–, ophiolites 310f.
pitchstone 65
plagioclase 3, 228, 245, 349, 402
–, basaltic andesite 123f.
–, compos. in Xigaze ophiolites 312
–, compos. variation during fractional crystallization of olivine tholeiite 131f.
–, dolerites 389f.

–, high-temperature structures 381f.
–, Jorullo lavas 146ff.
–, Kallithea Complex 358f.
–, migmatites 54
–, monzonorite 215f.
–, ridge basalts 368f.
plagioclase saturation, olivine tholeiite fractionation 133
plagioclase system, temperature influence on viscosity 83ff.
plate tectonics, European crust 162f.
pleonaste, dolerites 390
polymerization, silicate melts 63f.
prasinite 200f.
pyrite 9, 201f.
pyrolusite 259
pyrope-almandine, diffusion profiles 42
pyrrhotite 402
–, metabasites 201f.

Quartz 3, 258, 348, 355, 402
–, cordierite nodules 94
–, monzonorite 215
–, O isotopic compos, metapelites 323ff.
quartzite 323, 348
quartz monzonite 362
quartz syenite 401f.

Radiolarites, ophiolite dating 310
Rb-Sr isotope geochemistry, Ascutney Complex 338f.
redox ratios, Fe in rocks 101f.
REE, Jorullo lavas 147
–, monzonorites 218
–, potassic lavas 248
–, ridge basalts 372
REE patterns, Kallithea acid/basic rock pairs 361
rhodonite 258f.
ridge basalts, geochemistry 367ff.
rodingitization, Xigaze ophiolites 318f.
rutile, metabasites 201f.

Salite 280
sanidine 30, 245
saturation point, solid solutions 113f.
schorlomite, chemistry 29f.
serpentine minerals, stability 319
serpentinization, ophiolitic peridotites 319
sphalerite 9
siderite, U-bearing 8f.
silicate melts, structure 63ff.
sillimanite, granulites 407
sills, dolerite, Xigaze ophiolites 311f.
solid solution, determination of saturation point 113f.
–, Fe-Ti oxides 199ff.
spessartine-almandine, diffusion profiles 42
sphene 355, 402
–, metabasites 201f.
spinel 146, 228
spinel lherzolite, coexist, liquids 18ff.
spreading ridges, basalt geochemistry 367ff.
Sr isotopes, monzonorites 222
–, variation in Idaho batholiths 295f.
Sr isotopic homogenization, metamorphism 346f.
staurolite, chlorite-chloritoid schist 262f.
substitutions, melanites 30
supersaturation, olivine tholeiite crystallization 133
syenite 332

Tectonics, timing, Gran Paradiso 80
textures, dolerites 389
thermodynamics, chemical mass transfer 107ff.
thermometry, granulites 403f.
tholeiite series, Alëutian Arc 286f.
tillite metamorphism, Sr isotope equilibration 346ff.
titanomagnetite, dolerite 390
tourmaline 348
trace elements, dolerites 394
–, Jorullo basalts 146
–, monzonorites 216f.
–, potassic lavas 246f.
–, ridge basalts 373
tracer diffusion, garnets 45ff.
trachybasalt 245
–, Cerro la Pilita 157
trachyte 245f.
transport, U in granites 1ff.
–, –, mechanism 12
tremolite 348, 402
trondjhemite, ophiolites 313f.

U, granites 1ff.
–, K-feldspars from Schwarzwald granites 167
U fixation, granite microcracks 13
uraninite, cordierite nodules 95

Viscosity, plagioclases, temperature influence 83ff.
Vogel-Fulcher-Tammann equation, viscosities 87
volcanism, Alëutian Arc 276ff.
vulsinite 245

Water/rock ratios, metamorphism 322f.
wollastonite 402

Xenoliths, gneiss complex 226ff.

Y, ridge basalts 373

Zeolites, diagenetic, crystal chemistry 190ff.
zircon 215, 355
–, gneiss, fissian tracks 74f.
–, migmatites 55
zoning, garnets 29f., 271
Zr, ridge basalts 373